

Serial No.: 10/055,463

Attorney's Docket No.: 10559/559001/P12579

Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1. (Previously Presented) A processor comprising:
a wakeup loop to hold scheduler instructions including unexecuted instructions, and to indicate ready instructions of the unexecuted instructions that may be ready to be executed;
at least one of the unexecuted instructions to wakeup and notify at least another of the unexecuted instructions to speculatively wakeup before selection of the at least one of the unexecuted instructions is confirmed; and
a select loop to select at least one of the ready instructions for execution.
2. (Original) The processor of Claim 1 further comprising a collision handling technique.
3. (Original) The processor of Claim 2 wherein the collision handling technique includes a predict another wakeup technique.
4. (Original) The processor of Claim 3 wherein the predict another wakeup technique includes a PAW vector.

Serial No.: 10/055,483

Attorney's Docket No.: 10559/559001/P12579

5. (Original) The processor of Claim 2 wherein the collision handling technique includes a scoreboard to indicate whether dependent instructions of an executed instruction have executed.

6. (Original) The processor of Claim 5 wherein a pileup victims vector is computed based on the scoreboard.

7. (Original) The processor of Claim 1 wherein the scheduler instructions include executed instructions.

8. (Original) The processor of Claim 1 wherein the select loop generates a collision victim vector to identify collision victims.

9. (Original) The processor of Claim 8 wherein the collision victim vector is communicated to the wakeup loop.

10. (Previously Presented) The processor of Claim 1 wherein the wakeup loop includes:

a wakeup array to hold the scheduler instructions; and
wakeup logic to indicate the at least one of the unexecuted instructions that may be ready to be selected for execution.

Serial No.: 10/055,463

Attorney's Docket No.:10559/559001/P12579

11. (Previously Presented) The processor of Claim 10 wherein the wakeup array includes:

a resource vector corresponding to each of the scheduler instructions to indicate dependencies upon resources; and

a PAW vector to indicate the resources needed by earlier instructions in the wakeup array.

12. (Original) The processor of Claim 10 wherein the wakeup logic is selected from the group consisting of AND/OR array logic, CAM-style logic, and RAM-style logic.

13. (Previously Presented) The processor of Claim 1 wherein the select loop includes select logic to generate a grant vector indicating at least one of the unexecuted, ready instructions is granted execution.

14. (Original) The processor of Claim 1 wherein the wakeup loop is pipelined over at least two cycles.

15 - 22 (Cancelled)

23. (Previously Presented) A system comprising:
a random access memory device; and

Serial No.: 10/055,483

Attorney's Docket No.:10559/559001/P12579

a processor in communication with the random access memory device, the processor including:

a wakeup loop to hold scheduler instructions including unexecuted instructions, and to indicate ready instructions of the unexecuted instructions that may be ready to be executed;

at least one of the unexecuted instructions to wakeup and notify at least another of the unexecuted instructions to speculatively wakeup before selection of the at least one of the unexecuted instructions is confirmed; and

a select loop to select at least one of the ready instructions for execution.

24. (Original) The system of Claim 23 including further comprising a collision handling technique.

25. (Original) The processor of Claim 24 wherein the collision handling technique includes a predict another wakeup technique.

26. (Original) The processor of Claim 25 wherein the predict another wakeup technique includes a PAW vector.

27. (Original) The processor of Claim 24 wherein the collision handling technique includes a scoreboard to indicate

Serial No.: 10/055,483

Attorney's Docket No.: 10559/559001/P12579

whether dependent instructions of an executed instruction have executed.

28. (Original) The processor of Claim 27 wherein a pileup victims vector is computed based on the scoreboard.

29. (Original) The processor of Claim 23 wherein the scheduler instructions include executed instructions.

30. (Original) The processor of Claim 23 wherein the select loop generates a collision victim vector to identify collision victims.

31. (Original) The processor of Claim 30 wherein the collision victim vector is communicated to the wakeup loop.

32. (Previously Presented) A method of issuing requesting instructions to an execution unit, comprising:

speculatively setting an indicator to indicate a requesting instruction is ready to be selected for execution, said speculatively setting being caused by a prior wakeup of an earlier instruction before selection of the earlier instruction is confirmed, the requesting instruction being a dependent of the earlier instruction;

Serial No.: 10/055,483

Attorney's Docket No.: 10559/559001/P12579

during a cycle, selecting a predetermined number of the requesting instructions having a set indicator; and
resetting the indicator of the requesting instructions that are selected.

33. (Original) The method of Claim 32 wherein the predetermined number of selected instructions is one.

34. (Original) The method of Claim 32 further comprising handling collisions.

35. (Original) The method of Claim 34 wherein handling collisions includes generating a collision victims vector.

36. (Original) The method of Claim 34 wherein handling collisions includes generating a pileup victims vector.

37. (Original) The method of Claim 36 wherein generating a pileup victims vector includes reading a scoreboard and identifying pileup victims based upon the scoreboard.

38. (Original) The method of Claim 34 further comprising delaying setting the indicator based on predicting wakeup of another instruction.

Serial No.: 10/055,483

Attorney's Docket No.:10559/559001/Pl2579

39. (Previously Presented) A method of issuing unexecuted instructions to an execution unit, comprising:

generating resource vectors corresponding to the unexecuted instructions, the resource vectors including resource indicators to indicate availability of resources;

speculatively setting the resource indicators to indicate resources associated with corresponding ones of the unexecuted instructions are available so that the corresponding ones of the unexecuted instructions are ready to be executed, said speculatively setting being caused by a prior wakeup of one or more earlier instructions before selection of the one or more earlier instruction is confirmed; and

selecting a predetermined number of the corresponding ones of the unexecuted instructions.

40. (Original) The method of Claim 39 further comprising resetting the resource indicators corresponding to the unexecuted instructions that are selected.

41. (Original) The method of Claim 39 wherein the predetermined number of selected instructions is one.

Serial No.: 10/055,483

Attorney's Docket No.: 10559/559001/P12579

42. (Original) The method of Claim 39 further comprising handling collisions.

43. (Original) The method of Claim 42 wherein handling collisions includes generating a collision victims vector.

44. (Original) The method of Claim 42 wherein handling collisions includes generating a pileup victims vector.

45. (Original) The method of Claim 44 wherein generating a pileup victims vector includes reading a scoreboard and identifying pileup victims based upon the scoreboard.

46. (Original) The method of Claim 42 further comprising delaying setting the resource indicators based on predicting wakeup of another instruction.